

1

```
function f(A,B)
  C = 0
  while B > 0 do
    C = C + A * (B mod 2)
    A = A * 2
    B = B / 2
  return C
```

Let A, B, and C be integers. If A and B is natural numbers, what will function f(A,B) return?

- A. A power B
- B. Multiplication of A and B
- C. Greatest Common Divisor (GCD) of A and B
- D. Partial sum of natural number from A to B
- E. Least Common Multiple (LCM) of A and B

2

```
function f(a,b)
  if b = 0 then
    return 0
  else
    if b is odd then
      return f(2*a, b/2) + a
    else
      return f(2*a, b/2)
```

Let a, b, and c be integers. What is the result of f(105,27)?

- A. 2575
- B. 2835
- C. 935
- D. 0
- E. Error! Infinite Recursive Call

3

```
procedure sort(A[1..n])
  for i = 1 to n - 1 do
    for j = 1 to n - i do
      if A[j] > A[j+1] then
        swap A[j] with A[j+1]
```

The pseudocode above is one of the well known sorting algorithm, what is the name?

- A. Insertion Sort
- B. Quick Sort
- C. Selection Sort
- D. Bubble Sort
- E. Merge Sort

4

```

procedure sort(A[1..n])
  if |A| <= 1 then
    return A
  else
    Choose an element x from S
    Let S1 be the element of S that are smaller than x
    Let S2 be the element of S that are bigger x
    return sort(S1), S2, sort(S2)

```

The pseudocode above is one of the well known sorting algorithm, what is the name?

- Insertion Sort
- Quick Sort
- Selection Sort
- Bubble Sort
- Merge Sort

5

What will the following function do?

```

function f(N)
  if N <= 0 then
    return 0
  else
    return f(N-1) + N

```

- Factorial of N
- N-th Prime Number
- Sum of natural number up until N
- N-th even number
- Infinite loop

6

```

function f(n)
  if n = 0 then
    return 0
  else
    a = 0
    b = 1
    for i = 2 to n do
      c = a + b
      a = b
      b = c
    return b

```

Let a, b, c, and n be integers. What will f(N) return?

- Factorial of N
- N-th Fibonacci number
- N-th Prime number
- N-th Erdos number
- N-th Odd number

7

What this pseudocodes do?

```
A = 83
for i = 0 to 4 do
  B = A XOR 1
  A = A / 2
print B
```

- A. Print: 824021114
- B. Print: 411214082
- C. Print: 824120105
- D. Print: 510204182
- E. Print: 824121114

8

Look at the following pseudocode:

```
x = 0
for i = 1 to 9 do
  for j = 11 to 19 do
    for k = 1 to 19 do
      x = x + 1
    print x
```

What will be printed by the pseudocode above?

- A. 1539
- B. 729
- C. 37
- D. 2000
- E. 1800

9

```
i = 0
while i < 10 do
begin
  j = i
  while j < 30 do
begin
  print j
  j = j + 1
end
  i = i + 1
end
```

How many times j will be printed?

- A. 255
- B. 300
- C. 274
- D. 275
- E. 301

10

```
function f(n)
  if n = 0 then
    return 1
  else
    if n mod 2 = 1 then
      return 2 * f(n/2)
    else
      return n + 1
```

Let n be integer. What will $f(1025)$ return?

- A. 1026
- B. 513
- C. 512
- D. 1024
- E. 1

11

```
function f(y,z)
  x = 1
  while z > 0 do
    begin
      if z is odd then
        begin
          x = x * y
        end
      z = z / 2
      y = y * y
    end
  return x
```

What will $f(3,4)$ return?

- A. 1
- B. 9
- C. 4
- D. 16
- E. 81

12

```
function f(n)
  if n <= 1 then
    return n
  else
    return f(n-1) + f(n-2)
```

How many times will the recursive function $f(n)$ be called if it's invoked by $f(8)$? (including the initial call $f(8)$)

- A. 34
- B. 55
- C. 67
- D. 68
- E. 69

13

```
function f(n)
  r = 0
  for i = 1 to n do
    for j = 1 to i do
      for k = j to i + j do
        r = r + 1
  return r
```

What is the result of f(7)?

- A. 78
- B. 127
- C. 158
- D. 168
- E. 240

14

```
x = 0
for i = 1 to n do
  for j = i to n do
    for k = i to n do
      x = x + 1
print x
```

What will be printed by the pseudocode above (n=10)?

- A. 275
- B. 385
- C. 550
- D. 220
- E. 285

15

$S[1..5] = \{ 2, 4, 7, 9, 12 \}$

```
function f(x,y)
  if y - x <= 1 then
    if S[x] > S[y] then
      return S[x]
    else
      return S[y]
  else
    r = (x + y) / 2
    p = f(x,r)
    q = f(r+1,y)
    if p < q then
      return q
    else
      return p
```

What is the result of f(1,4)?

- A. 2
- B. 4
- C. 7
- D. 9
- E. 12

16

```
x = 0

function f()
  x = x + 1

function g()
  f()
  f()

function h()
  f()
  g()
  f()

main()
  f()
  print x
  g()
  print x
  h()
  print x
```

What will be printed by the pseudocode above?

- A. 1 3 7
- B. 1 3 6
- C. 0 2 6
- D. 0 2 5
- E. 1 2 7

17

```
if A AND B
  if (not C) OR (not D)
    print '1'
  else if D
    print '2'
  else
    print '3'
else
  if C <> D
    print '4'
  else if C
    print '5'
  else
    print '6'
```

If $A = B = C$, and $C = \text{false}$, and $A \neq D$, what will be printed by the pseudocode above?

- A. 2
- B. 3
- C. 4
- D. 5
- E. 6

18

The worst case complexity for Selection Sort algorithm is:

- A. n^3
- B. $n \cdot \log(n)$
- C. n^2
- D. 2^n
- E. n

19

Which of the following data structures is the fastest for retrieving data?

- A. Binary Index Tree
- B. Binary Tree
- C. Stack
- D. Queue
- E. Hash Table

20

Which of the following algorithm will be the first one to finish processing 1,000,000 element array (in the worst case scenario)?

- A. Quick Sort
- B. Linear Search
- C. Merge Sort
- D. Bubble Sort
- E. Heap Sort

21

Let A, B, C, and D be matrices whose dimensions are:

- A (2 x 4)
- B (4 x 3)
- C (3 x 1)
- D (1 x 5)

What is the best way to multiply $A \times B \times C \times D$ (one with the smallest number of operations)?

- A. $(A \times (B \times C)) \times D$
- B. $((A \times B) \times C) \times D$
- C. $A \times (B \times (C \times D))$
- D. $A \times ((B \times C) \times D)$
- E. $(A \times B) \times (C \times D)$

22

If you put 1, 3, 5, 9, 7 (in that order) into a stack, which number will be popped out last?

- A. 1
- B. 3
- C. 5
- D. 9
- E. 7

23

What is the result of the following expression?

$$6 - 5 - 4 * 3 / 2 + 1$$

- A. -3
- B. -2
- C. 6
- D. 1
- E. -4

24

```
function f(n)
  if n <= 1 then
    return 1
  else if n mod 2 = 0 then
    return f(n/2)
  else
    return f(3*n+1)
```

How many times will the recursive function f(n) be called if it's invoked by f(3)? (including the initial call f(3))

- A. 7
- B. 8
- C. 9
- D. 10
- E. 11

25

```
if (i = 3) OR (j = 4) then
  print "YES"
else
  print "NO"
```

Are there any possibilities that the pseudocode will print both YES and NO in the same time?

- A. No, there are no possibilities.
- B. Yes, there are. Only one possibilities.
- C. Yes, there are. Many possibilities.

- D. Yes, there are. Depends on compiler setting.
 E. Yes, there are. There are two possibilities.

26

It's BINUS Festival Day and you have a schedule of events:

9:00 - 9:45 Pop Band
 9:30 - 10:00 Short Movie Theater
 9:50 - 10:15 Chorus
 10:00 - 10:30 Pongo Dance
 10:10 - 10:25 Math Quiz
 10:30 - 10:55 Wushu Demonstration
 10:15 - 10:45 Poco Poco Dance
 10:30 - 11:00 Programming Tutorial
 10:45 - 11:30 Game Zone
 10:55 - 11:25 Magician Show
 11:00 - 11:15 Barongsai Dance

Naturally, you want to attend as many events as you can.
 What is the largest set of nonoverlapping events?

- A. 2
 B. 3
 C. 4
 D. 5
 E. 6

27

```
function f(a,b,c)
  if (a = TRUE) AND (b = TRUE) then
    print '1'
  else
    if (b = FALSE) then
      print '2'
    else if (c = TRUE) then
      print '3'
    else
      if (a = TRUE) and (b = FALSE) then
        print '4'
      else
        print '5'
```

What will be printed by `f(FALSE,TRUE,TRUE)`?

- A. 1
 B. 2
 C. 3
 D. 4
 E. 5

28

What will be printed by the following pseudocode?

```
S[1..5] = { 2, 8, 3, 6, 7 }
```

```

for x = 1 to 2 do
  for y = 1 to 4 do
    if S[x] < S[x+1] then
      z = S[x]
      S[x] = S[x+1]
      S[x+1] = z

print S[2]

```

- A. 2
- B. 8
- C. 3
- D. 6
- E. 7

29

The following pseudocode will swap value x and y , except:

- A. $x = x + y$
 $y = x - y$
 $x = x - y$
- B. $x = x \text{ XOR } y$
 $y = y \text{ XOR } x$
 $x = x \text{ XOR } y$
- C. $x = x * y$
 $y = x / y$
 $x = x / y$
- D. $z = x$
 $x = y$
 $y = z$
- E. $x = x + y$
 $x = x - y$
 $y = y - x$

30

What will be printed by the following pseudocode?

```
S[1..7] = { 3, 1, 9, 7, 0, 4, 3 }
```

```

x = 0
for i = 1 to 7 do
  for j = i + 1 to 7 do
    x = x + S[j]

```

```
print x
```

- A. 87
- B. 90
- C. 94
- D. 97
- E. 101

31

Let $S = \{ 2, 3, 4, 5, 6, 10 \}$. How many non-empty set S' are there, such that S' is subset of S , and the product of all element is S' is a square number?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7

32

```

A B C D
  D
----- x
D C B A

```

Each letter represents a unique digit from 0 to 9. What is the correct value for C?

- A. 4
- B. 5
- C. 7
- D. 8
- E. 9

33

What is the last two digit of 7^{1007} ?

- A. 07
- B. 01
- C. 49
- D. 43
- E. 35

34

How many trailing zero are there in $100!$ ($100 \times 99 \times 98 \times \dots \times 1$)?

- A. 125
- B. 24
- C. 75
- D. 47
- E. 11

35

Find P , such that any amount of money greater than P can be formed by using 5-cent and 7-cent denomination!

- A. 24
- B. 18
- C. 23
- D. 19

E. 13

36

Supposed that there are four people (A, B, C and D) who play different kind of music instruments.

If C is a pianist, then D would be a violinist.
 If D is a guitarist, then C would be a violinist.
 If A is a violinist, then B would be a guitarist.
 If B is a violinist, then A would not be a drummer.
 If A is a pianist, then B would not be a drummer.
 If A is a guitarist, then B would no be a drummer.
 If C is a drummer, then D would be a pianist
 If D is a pianist, then A would not be a violinist.

The best combination for A, B, C and D consecutively is:

- A. violin, guitar, drum, piano
- B. guitar, violin, drum, piano
- C. drum, guitar, piano, violin
- D. piano, drum, violin, guitar
- E. violin, drum, guitar, piano

37

Let $S = \{ A, B, C, D, E, F \}$ be a set of unique integers.

A is larger than F
 C is smaller than A
 D is larger than E
 B is smaller than F
 E is larger than A
 F is smaller than C

What is the third largest element in S?

- A. A
- B. B
- C. C
- D. D
- E. E

38

A web development team consists of 5 members that will be selected from 4 candidate programmers (A, B, C, D) and 4 candidate graphic designers (P, Q, R, S).

A refuses to work with D
 B refuses to work with P
 Q refuses to work with R
 D refuses to work with Q
 S refuses to work with A

If B has been chosen, who will be the team graphic designers?

- A. S
- B. Q
- C. Q and S
- D. R and S

E. There's no team of 5 member can be formed

39

Let $S = \{ 9, 6, 13, 8, 10, 15, 12, 21 \}$

What is the length of the longest increasing subsequence of S ?

- A. 4
- B. 5
- C. 6
- D. 7
- E. 8

40

A is taller than B
 D is taller than C
 C is about the same height with A
 E is taller than C

These are correct statements, except:

- A. D is taller than B
- B. E is taller than B
- C. B is the shortest
- D. E is the tallest
- E. B is shorter than C

41

If we multiply all Prime Numbers below 1000, how many trailing zero are there?

- A. 13
- B. 1
- C. 5
- D. 17
- E. 2

42

What is the condition for the following equation so that it is always TRUE?

$$2^n > n^2$$

- A. No condition. The expression is always TRUE.
- B. $n < 3$
- C. $n \neq 3$
- D. $n > 3$
- E. $n > 4$

43

You are given a bag full of coins of three different denominations { 5 cent, 6 cent, 7 cent }, and of infinite amount for each denomination. What is the minimum number of coins needed to get 29 cent amount?

- A. 5
- B. 7
- C. 6
- D. 4
- E. There's no way to get 29 cent.

44

You are given a bag full of coins of three different denominations {4 cent, 6 cent, 13 cent}, and of infinite amount for each denomination. What is the minimum number of coins needed to get 28 cent amount?

- A. 4
- B. 3
- C. 6
- D. 5
- E. There's no way to get 28 cent.

45

If you have 10 people in a room and each person shakes hands with every other person exactly once, how many total handshakes happen?

- A. 45
- B. 50
- C. 55
- D. 90
- E. 100

46

Andy is not able to answer if the problem is too difficult
 If Andy is not able to answer, then he will get zero for the exam
 Andy get zero for the exam

What is the correct conclusion?

- A. Andy is not able to answer
- B. If Andy is not able to answer, then the problem is too difficult
- C. If Andy doesn't get zero, then the problem is not too difficult
- D. Andy is able to answer
- E. The problem is not difficult

47

Among the following conditional statements, which one is a tautology?
 (notation: \rightarrow IF \wedge AND \vee OR \sim NOT)

- A. $(p \wedge q) \rightarrow \sim p$
- B. $p \rightarrow (p \wedge q)$
- C. $\sim(p \rightarrow q) \rightarrow \sim q$
- D. $(p \vee q) \rightarrow (p \wedge q)$
- E. $p \wedge (p \rightarrow q)$

48

```
input a
input b
input c
x = a + b + c
print x
```

If $x = 25$, which statement will always give TRUE value?

- A. $a \geq 3$ OR $b \geq 19$ OR $c \geq 5$
- B. $a \geq 9$ OR $b \geq 10$ OR $c \geq 9$
- C. $a + b \geq 15$ OR $c \geq 13$
- D. $a + b \geq 15$ AND $b + c \geq 12$
- E. $a \geq 13$ OR $b \geq 14$

49

Let S be $\{1, 2, 3, 4, 5, 6, 7, 8\}$, and T be any subset of S with 5 elements.

What is the correct statement?

- A. The sum of all elements in T will be larger than 15.
- B. At least one pair of element in T has the sum equal to 9.
- C. At least two pairs of elements in T has the sum equal to 7.
- D. The sum of the three smallest elements in T will be larger than 10.
- E. At least one pair of element in T has the difference equal to 5.

50

Every BINUSIAN has an internet account.
Eko does not have an internet account.
Albert has an internet account.

What is the correct conclusion?

- A. Albert is not a BINUSIAN
- B. Albert is a BINUSIAN
- C. Eko is not a BINUSIAN
- D. Eko is a BINUSIAN
- A. No correct conclusion